

CLEARRESULTS
SETDURATION 20 #2-60 - 3=short 6=med 10=long 20= very long
SETITERATIONS 20
SUPPRESSWARNINGS OFF
SETDISK "C:"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 1 -x 512 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00001-512 -
YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00000-000 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results___ Ma27\passmark performance test 9\txt\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00000-000 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00000-000 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00000-000 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00000-000 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 128 -x 512 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-512 -
YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 128 -x 256 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-256 -
YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"

```
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 128 -x 128 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 128 -x 64 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 128 -x 32 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
```

RUN DI_RANDOM

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 128 -x 16 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 128 -x 8 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 128 -x 4 -s
```

SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00128-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 256 -x 512 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 256 -x 256 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 256 -x 128 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-128 -
YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 256 -x 64 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-064 -
YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 256 -x 32 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-032 -
YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy-ft.txt"

```
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 256 -x 16 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 256 -x 8 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-008 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-008 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-008 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-008 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-008 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-008 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 256 -x 4 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
```

```
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00256-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 512 -x 512 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 512 -x 256 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 512 -x 128 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
```

RUN DI_RANDOM

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 512 -x 64 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 512 -x 32 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 512 -x 16 -s
```


SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 512 -x 8 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 512 -x 4 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 00512-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 1024 -x 512 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-512 -
YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 1024 -x 256 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-256 -
YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 1024 -x 128 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-128 -
YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy-ft.txt"

```
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 1024 -x 64 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 1024 -x 32 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 1024 -x 16 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
```

```
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 1024 -x 8 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-008 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-008 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-008 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-008 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-008 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-008 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 1024 -x 4 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 01024-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 2048 -x 512 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
```

RUN DI_RANDOM

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 2048 -x 256 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 2048 -x 128 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 2048 -x 64 -s
```

SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 2048 -x 32 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 2048 -x 16 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 2048 -x 8 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-008 -
YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 2048 -x 4 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-004 -
YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 02048-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 4096 -x 512 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-512 -
YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydrivervyy-ft.txt"

```
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 4096 -x 256 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 4096 -x 128 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-128 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 4096 -x 64 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-064 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
```



```
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 4096 -x 32 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 4096 -x 16 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-016 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 4096 -x 8 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-008 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
```

RUN DI_RANDOM

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 4096 -x 4 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 04096-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 8192 -x 512 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 8192 -x 256 -s
```

SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 8192 -x 128 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 8192 -x 64 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 8192 -x 32 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-032 -
YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 8192 -x 16 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-016 -
YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 8192 -x 8 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-008 -
YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"

```
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-008 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-008 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 8192 -x 4 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 08192-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 16384 -x 512 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-512 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 16384 -x 256 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
```

```
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-256 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 16384 -x 128 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 16384 -x 64 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 16384 -x 32 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
```

RUN DI_RANDOM

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 16384 -x 16 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 16384 -x 8 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

```
#EXPORTHTML "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 16384 -x 4 -s
```

SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 16384-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 32768 -x 512 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-512 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 32768 -x 256 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-256 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 32768 -x 128 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-128 -
YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-128 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 32768 -x 64 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-064 -
YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results__ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-064 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"

#####

EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 32768 -x 32 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-032 -
YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy"

RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM

#EXPORTHTML "X:\z_results__ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.html"
EXPORTTEXT "X:\z_results__ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results__ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-032 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"

```
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-032 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 32768 -x 16 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-016 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 32768 -x 8 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
EXPORTTEXT "X:\z_results\___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.txt"
EXPORTTEXTF "X:\z_results\___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy-ft.txt"
EXPORTcsv "X:\z_results\___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.csv"
EXPORTBASELINE "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-008 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.pt"
```

#####

```
EXECUTEWAIT "yyy.exe" yyy{04a6f5ce-37cb-4fc4-9b69-f6fbca4b9ae1} -z 32768 -x 4 -s
SETCOMPUTERNAME "ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy"
```

```
RUN DI_READ
RUN DI_WRITE
RUN DI_RANDOM
```

```
#EXPORTHTML "X:\z_results\___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-004 - YY000vRXXX-TXXXX-svxxld-dvxluyydriververyy.html"
```

EXPORTTEXT "X:\z_results___ Ma27\passmark performance test 9\TXT\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.txt"
EXPORTTEXTF "X:\z_results___ Ma27\passmark performance test 9\txt-formatted\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy-ft.txt"
EXPORTcsv "X:\z_results___ Ma27\passmark performance test 9\csv\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.csv"
EXPORTBASELINE "X:\z_results___ Ma27\passmark performance test 9\ASRockFZ170PG-i7-67-3.4@4.0-32GB@3600 - 32768-004 - YY000vRXXX-TXXXX-svxxld-dvxl+yydriververyy.pt"