

5Çú•0ÿÿx8İú•0ÿÿ85Çú•0ÿÿ^5Çú•0ÿÿ^5Çú•0ÿÿ?10 16 2023 13:39:23.500

BOOTLOG_LOADED \SystemRoot\system32\ntoskrnl.exe
BOOTLOG_LOADED \SystemRoot\system32\hal.dll
BOOTLOG_LOADED \SystemRoot\system32\kd.dll
BOOTLOG_LOADED \SystemRoot\system32\mcupdate_GenuineIntel.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLFS.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\tm.sys
BOOTLOG_LOADED \SystemRoot\system32\PSHED.dll
BOOTLOG_LOADED \SystemRoot\system32\BOOTVID.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\FLTMRG.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\msrpc.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ksecdd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\clips.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\cmimcext.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\werkern.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ntosext.sys
BOOTLOG_LOADED \SystemRoot\system32\CI.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\cng.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Wdf01000.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WDFLDR.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\WppRecorder.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SleepStudyHelper.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\acpiex.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msseccore.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SgrmAgent.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ACPI.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WMILIB.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdBoot.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelpep.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WindowsTrustedRT.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\IntelTA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WindowsTrustedRTProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pcw.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\msisadv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\isapnp.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vdrvroot.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ucx01000.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\pdc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\CEA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\partmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\evbda.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pcmcia.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pciide.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\PCIIDEX.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\spaceport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelide.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\sdbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vmbs.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\NDIS.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\NETIO.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\hvsocket.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\vbkmcl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\winhv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vpci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bxvbda.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\nvraid.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLASSPNP.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\urscx01000.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mountmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorV.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vsraid.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\storport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\3ware.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\amdsata.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\amdxta.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\amdsbs.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\arcsas.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ItSas35i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\lsi_sas.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\lsi_sas2i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\lsi_sas3i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\lsi_sss.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\megasas.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\MegaSas2i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\megasas35i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\megasr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mvumis.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\nvstor.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\percsas2i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\percsas3i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\SiSRaid2.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\sisraid4.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vstxraid.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\stexstor.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\cht4sx64.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorAVC.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\atapi.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ataport.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\storahci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\stornvme.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ADP80XX.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\HpSAMD.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\SmartSAMD.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\nvdimms.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EhStorTcgDrv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EhStorClass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fileinfo.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Wof.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Ntfs.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbccgp.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\USB.D.SYS
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\urschipidea.inf_amd64_78ad1c14e3

3df968\urschipidea.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\usbhub.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\UsbHub3.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\usbehci.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\USBPORT.SYS

BOOTLOG_LOADED \SystemRoot\System32\drivers\storvsc.sys

BOOTLOG_LOADED \SystemRoot\System32\Drivers\Fs_Rec.sys

BOOTLOG_LOADED \SystemRoot\System32\Drivers\ksecpkg.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpip.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\fwpmclnt.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\wfplwfs.sys

BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\timntr.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\vmstorfl.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\bttflt.sys

BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\fvevol.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\volume.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\volsnap.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\USBXHCI.SYS

BOOTLOG_LOADED \SystemRoot\System32\drivers\USBSTOR.SYS

BOOTLOG_LOADED \SystemRoot\System32\drivers\uasstor.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\storufs.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\sdstor.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\scmbus.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\sbp2port.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\rdyboost.sys

BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\ramdisk.sys

BOOTLOG_LOADED \SystemRoot\system32\pwrdrvio.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\pmem.sys

BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nvpciflt.sys

BOOTLOG_LOADED \SystemRoot\System32\Drivers\mup.sys

BOOTLOG_LOADED \SystemRoot\system32\drivers\iorate.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\hwpolicy.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\EPMVolFlt.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\disk.sys

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @hal.inf,%acpi_amd64.devicedesc%;ACPI x64-based PC

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network

Adapter
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network

Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED cdrom.SYS
BOOTLOG_NOT_LOADED FileCrypt.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Null.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Beep.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicdisplay.inf_amd64_d4186f58a551c471\BasicDisplay.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicrender.inf_amd64_9eeaaced803186c6\BasicRender.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\googledrivefs31092.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Npfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Msfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\CimFS.SYS
BOOTLOG_NOT_LOADED tdx.SYS
BOOTLOG_NOT_LOADED NetBT.SYS
BOOTLOG_NOT_LOADED afunix.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED vwififlt.SYS
BOOTLOG_NOT_LOADED Psched.SYS
BOOTLOG_NOT_LOADED NdisCap.SYS
BOOTLOG_NOT_LOADED NetBIOS.SYS
BOOTLOG_NOT_LOADED Vid.SYS
BOOTLOG_NOT_LOADED rdbss.SYS
BOOTLOG_NOT_LOADED CSC.SYS
BOOTLOG_NOT_LOADED nsiproxy.SYS
BOOTLOG_NOT_LOADED npsvcrtig.SYS
BOOTLOG_NOT_LOADED mssmbios.SYS
BOOTLOG_NOT_LOADED GpuEnergyDrv.SYS

BOOTLOG_NOT_LOADED Dfsc.SYS
BOOTLOG_NOT_LOADED dam.SYS
BOOTLOG_NOT_LOADED bam.SYS
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\ahcache.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\Vid.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\compositebus.inf_amd64_7500cffa2
10c6946\CompositeBus.sys
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\umbus.inf_amd64_b78a9c5b6fd62c27
\umbus.sys
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_LOADED \SystemRoot\System32\drivers\HECIx64.sys
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_LOADED \SystemRoot\System32\drivers\HDAudBus.sys
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiSDa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiMSa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xkbd.sys
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_LOADED \SystemRoot\System32\drivers\i8042prt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\SynTP.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kbdclass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mouclass.sys
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_LOADED \SystemRoot\System32\drivers\cdrom.sys
BOOTLOG_LOADED \??\C:\Windows\system32\drivers\NTIDrvr.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\GEARAspiWDM.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wmiacpi.sys
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_LOADED \SystemRoot\System32\drivers\NdisVirtualBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mssmbios.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\swenum.inf_amd64_16a14542b63c02a
f\swenum.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdpbus.sys
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED IntcAzAudAddService.SYS
BOOTLOG_NOT_LOADED IntcDAud.SYS
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xdmp.sys
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED @monitor.inf,%pnpmonitor.devicedesc%;Generic PnP Monitor
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @c_swdevice.inf,%swd\genericraw.devicedesc%;Generic software device
Microsoft (R) Windows (R) Version 10.0 (Build 19041)
11 19 2023 15:13:28.500
BOOTLOG_LOADED \SystemRoot\system32\ntoskrnl.exe
BOOTLOG_LOADED \SystemRoot\system32\hal.dll
BOOTLOG_LOADED \SystemRoot\system32\kd.dll
BOOTLOG_LOADED \SystemRoot\system32\mcupdate_GenuineIntel.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLFS.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\tm.sys
BOOTLOG_LOADED \SystemRoot\system32\PSHED.dll
BOOTLOG_LOADED \SystemRoot\system32\BOOTVID.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\FLTMRG.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\msrpc.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ksecdd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\clips.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\cmimcext.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\werkern.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ntosext.sys
BOOTLOG_LOADED \SystemRoot\system32\CI.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\cng.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Wdf01000.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WDFLDR.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\WppRecorder.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SleepStudyHelper.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\acpiex.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msseccore.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SgrmAgent.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ACPI.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WMILIB.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdBoot.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelpep.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WindowsTrustedRT.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\IntelTA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WindowsTrustedRTProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pcw.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\msisadv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\isapnp.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pci.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\vdrvroot.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ucx01000.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\pdc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\CEA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\partmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\evbda.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pcmcia.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pciide.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\PCIIDEX.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\spaceport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelide.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\sdbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vbush.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\NDIS.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\NETIO.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\hvsocket.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vbkmcl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\winhvh.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vpci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bxbda.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\nvraid.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLASSPNP.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\urscx01000.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mountmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorV.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vsraid.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\storport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\3ware.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\amdsata.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\amdxta.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\amdsbs.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\arcsas.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ItSas35i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\lsi_sas.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\lsi_sas2i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\lsi_sas3i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\lsi_sss.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\megasas.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\MegaSas2i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\megasas35i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\megasr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mvumis.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\nvstor.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\percsas2i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\percsas3i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\SiSRaid2.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\sisraid4.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vstxraid.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\stexstor.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\cht4sx64.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorAVC.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\atapi.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\ataport.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\storahci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\stornvme.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ADP80XX.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\HpSAMD.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\SmartSAMD.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\nvdimms.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EhStorTcgDrv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EhStorClass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fileinfo.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Wof.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Ntfs.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbccgp.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\USBD.SYS
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\urschipidea.inf_amd64_78ad1c14e3
3df968\urschipidea.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbhub.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\UsbHub3.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbehci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\USBPORT.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\storvsc.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Fs_Rec.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\ksecpkg.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpip.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fwppkclnt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wfplwfs.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\timntr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vmstorfl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bttflt.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\fvevol.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volume.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volsnap.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\USBXHCI.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\USBSTOR.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\uasppstor.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\storufs.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\sdstor.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\scmbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\sbp2port.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdyboost.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\ramdisk.sys
BOOTLOG_LOADED \SystemRoot\system32\pwrdrvio.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pmem.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nvpciflt.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\mup.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\iorate.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\hwpolicy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EPMVolFlt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\disk.sys
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter

[illegible]

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network

Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network

Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED cdrom.SYS
BOOTLOG_NOT_LOADED FileCrypt.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Null.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Beep.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicdisplay.inf_amd64_19e58b626
7591a82\BasicDisplay.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicrender.inf_amd64_d3f5994a67
770b50\BasicRender.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\googledrivefs31092.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Npfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Msfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\CimFS.SYS
BOOTLOG_NOT_LOADED tdx.SYS
BOOTLOG_NOT_LOADED NetBT.SYS
BOOTLOG_NOT_LOADED afunix.SYS
BOOTLOG_NOT_LOADED AFD.SYS

BOOTLOG_NOT_LOADED vwififlt.SYS
BOOTLOG_NOT_LOADED Psched.SYS
BOOTLOG_NOT_LOADED NdisCap.SYS
BOOTLOG_NOT_LOADED NetBIOS.SYS
BOOTLOG_NOT_LOADED Vid.SYS
BOOTLOG_NOT_LOADED rdbss.SYS
BOOTLOG_NOT_LOADED CSC.SYS
BOOTLOG_NOT_LOADED nsiproxy.SYS
BOOTLOG_NOT_LOADED npsvc trig.SYS
BOOTLOG_NOT_LOADED mssmbios.SYS
BOOTLOG_NOT_LOADED GpuEnergyDrv.SYS
BOOTLOG_NOT_LOADED Dfsc.SYS
BOOTLOG_NOT_LOADED dam.SYS
BOOTLOG_NOT_LOADED bam.SYS
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\ahcache.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\Vid.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\compositebus.inf_amd64_7500cffa2
10c6946\CompositeBus.sys
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\umbus.inf_amd64_b78a9c5b6fd62c27
\umbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CAD.sys
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_LOADED \SystemRoot\System32\drivers\HECIx64.sys
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_LOADED \SystemRoot\System32\drivers\HDAudBus.sys
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiSDa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiMSa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xdbd.sys
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_LOADED \SystemRoot\System32\drivers\i8042prt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\SynTP.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kbdclass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mouclass.sys
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_LOADED \SystemRoot\System32\drivers\cdrom.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\NTIDrvr.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\GEARAspiWDM.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wmiacpi.sys
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_LOADED \SystemRoot\System32\drivers\NdisVirtualBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mssmbios.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\swenum.inf_amd64_16a14542b63c02a
f\swenum.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdpbus.sys

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED IntcAzAudAddService.SYS
BOOTLOG_NOT_LOADED IntcDAud.SYS
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xndmp.sys
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network

Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isbnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED @monitor.inf,%pnpmonitor.devicedesc%;Generic PnP Monitor
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @c_swdevice.inf,%swd\genericraw.devicedesc%;Generic software
device
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\condrv.sys
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
À11 19 2023 15:16:53.500
BOOTLOG_LOADED \SystemRoot\system32\ntoskrnl.exe
BOOTLOG_LOADED \SystemRoot\system32\hal.dll
BOOTLOG_LOADED \SystemRoot\system32\kd.dll
BOOTLOG_LOADED \SystemRoot\system32\mcupdate_GenuineIntel.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLFS.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\tm.sys
BOOTLOG_LOADED \SystemRoot\system32\PSHED.dll
BOOTLOG_LOADED \SystemRoot\system32\BOOTVID.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\FLTMGR.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\msrpc.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ksecdd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\clips.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\cmimcext.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\werkernl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ntosext.sys
BOOTLOG_LOADED \SystemRoot\system32\CI.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\cng.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Wdf01000.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WDFLDR.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\WppRecorder.sys

BOOTLOG_LOADED \SystemRoot\system32\drivers\SleepStudyHelper.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\acpiex.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msseccore.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SgrmAgent.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ACPI.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WMILIB.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdBoot.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelpep.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WindowsTrustedRT.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\IntelTA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WindowsTrustedRTProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pcw.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\msisadv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vdrvroot.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\pdc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\CEA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\partmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\spaceport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mountmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\storport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EhStorClass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fileinfo.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Wof.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Ntfs.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Fs_Rec.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ndis.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\NETIO.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\ksecpkg.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpip.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fwpkclnt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wfplwfs.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\timntr.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\fvevol.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volume.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volsnap.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdyboost.sys
BOOTLOG_LOADED \SystemRoot\system32\pwdrvio.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nvpciflt.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\mup.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\iorate.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\hwpolicy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EPMVolFlt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\disk.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLASSPNP.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\cdrom.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\filecrypt.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Null.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Beep.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys

BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicdisplay.inf_amd64_19e58b6267591a82\BasicDisplay.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicrender.inf_amd64_d3f5994a67770b50\BasicRender.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\googledrivefs31092.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Npfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Msfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\CimFS.SYS
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\tdx.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\netbt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\afunix.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\afd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwififlt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pacer.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ndiscap.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\netbios.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\Vid.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\rdbss.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\csc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\nsiproxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\npsvc trig.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mssmbios.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\gpuenergydrv.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\dfsc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\bam.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\ahcache.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\compositebus.inf_amd64_7500cffa210c6946\CompositeBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kdnic.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\umbus.inf_amd64_b78a9c5b6fd62c27\umbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CAD.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\igdkmd64.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\HECIx64.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbehci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\HDAudBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\k57nd60a.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiSDa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiMSa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xdbd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\athrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwifibus.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ucx01000.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\USBXHCI.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\i8042prt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\SynTP.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kbdclass.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\mouclass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CmBatt.sys
BOOTLOG_LOADED \??\C:\Windows\system32\drivers\NTIDrvr.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\GEARAspiWDM.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wmiacpi.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelppm.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\NdisVirtualBus.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\swenum.inf_amd64_16a14542b63c02a
f\swenum.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdpbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbhub.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\RTKVHD64.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ksthunk.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\IntcDAud.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xndmp.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\UsbHub3.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbccgp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WdmCompanionFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\usbvideo.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\monitor.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\wcifs.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\luaafv.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\cldflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\storqosflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\bindflt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\tifsflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mmcsm.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\lltdio.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\rspndr.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\wanarp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mslldp.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nwifi.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ndisuiio.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msquic.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\MSKSSRV.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\HTTP.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\bowser.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mpsdrv.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\mrxsm.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\mrxsm20.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\srvtsp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mqac.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Ndu.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\peauth.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpipreg.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\srv2.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rassstp.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\AgileVpn.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rasl2tp.sys

BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rasppptp.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\raspppoe.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\ndistapi.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ndiswan.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\condrv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwifimp.sys
BOOTLOG_NOT_LOADED \SystemRoot\system32\drivers\wd\WdFilter.sys
Microsoft (R) Windows (R) Version 10.0 (Build 19041)
11 27 2023 12:23:57.500
BOOTLOG_LOADED \SystemRoot\system32\ntoskrnl.exe
BOOTLOG_LOADED \SystemRoot\system32\hal.dll
BOOTLOG_LOADED \SystemRoot\system32\kd.dll
BOOTLOG_LOADED \SystemRoot\system32\mcupdate_GenuineIntel.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLFS.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\tm.sys
BOOTLOG_LOADED \SystemRoot\system32\PSHED.dll
BOOTLOG_LOADED \SystemRoot\system32\BOOTVID.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\FLTMGR.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\msrpc.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ksecdd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\clips.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\cmimcext.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\werkernl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ntosext.sys
BOOTLOG_LOADED \SystemRoot\system32\CI.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\cng.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Wdf01000.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WDFLDR.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\WppRecorder.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SleepStudyHelper.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\acpiex.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msseccore.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SgrmAgent.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ACPI.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WMILIB.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdBoot.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelpep.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WindowsTrustedRT.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\IntelTA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WindowsTrustedRTProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pcw.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\msisadrv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\isapnp.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vdrvroot.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ucx01000.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\pdc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\CEA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\partmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\evbda.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pcmcia.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\pciide.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\PCIIDEX.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\spaceport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelide.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\sdbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vmbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\NDIS.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\NETIO.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\hvsocket.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vmtoolsd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\winhvh.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vpci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bxbvda.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\nvraid.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLASSPNP.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\urscx01000.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mountmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorV.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vsraid.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\storport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\3ware.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\amdsata.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\amdxata.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\amdsbs.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\arcsas.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ItSas35i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\lsi_sas.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\lsi_sas2i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\lsi_sas3i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\lsi_sss.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\megasas.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\MegaSas2i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\megasas35i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\megasr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mvumis.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\nvstor.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\percsas2i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\percsas3i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\SiSRaid2.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\sisraid4.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vstxraid.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\stexstor.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\cht4sx64.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorAVC.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\atapi.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ataport.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\storahci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\stornvme.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ADP80XX.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\HpSAMD.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\SmartSAMD.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\nvdimms.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EhStorTcgDrv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EhStorClass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fileinfo.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Wof.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wd\WdFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Ntfs.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbccgp.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\USBDSYS
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\urschipidea.inf_amd64_78ad1c14e3
3df968\urschipidea.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbhub.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\UsbHub3.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbehci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\USBPORT.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\storvsc.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Fs_Rec.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\ksecpkg.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpip.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fwpmclnt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wfplwfs.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\timntr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vmstorfl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bttflt.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\fvevol.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volume.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volsnap.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\USBXHCI.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\USBSTOR.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\uasppstor.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\storufs.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\sdstor.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\scmbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\sbp2port.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdyboost.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\ramdisk.sys
BOOTLOG_LOADED \SystemRoot\System32\pwrdrvio.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pmem.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\nvpciflt.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\mup.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iorate.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\hwpolicy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EPMVolFlt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\disk.sys
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @hal.inf,%acpi_amd64.devicedesc%;ACPI x64-based PC
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter

[illegible]

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network

Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED cdrom.SYS
BOOTLOG_NOT_LOADED FileCrypt.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Null.SYS

BOOTLOG_LOADED \SystemRoot\System32\Drivers\Beep.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicdisplay.inf_amd64_19e58b6267591a82\BasicDisplay.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicrender.inf_amd64_d3f5994a67770b50\BasicRender.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\googledrivefs31092.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Npfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Msfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\CimFS.SYS
BOOTLOG_NOT_LOADED tdx.SYS
BOOTLOG_NOT_LOADED NetBT.SYS
BOOTLOG_NOT_LOADED afunix.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED vwififlt.SYS
BOOTLOG_NOT_LOADED Psched.SYS
BOOTLOG_NOT_LOADED NdisCap.SYS
BOOTLOG_NOT_LOADED NetBIOS.SYS
BOOTLOG_NOT_LOADED Vid.SYS
BOOTLOG_NOT_LOADED rdbss.SYS
BOOTLOG_NOT_LOADED CSC.SYS
BOOTLOG_NOT_LOADED nsiproxy.SYS
BOOTLOG_NOT_LOADED npsvc trig.SYS
BOOTLOG_NOT_LOADED mssmbios.SYS
BOOTLOG_NOT_LOADED GpuEnergyDrv.SYS
BOOTLOG_NOT_LOADED Dfsc.SYS
BOOTLOG_NOT_LOADED dam.SYS
BOOTLOG_NOT_LOADED bam.SYS
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\ahcache.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\Vid.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\compositebus.inf_amd64_7500cffa210c6946\CompositeBus.sys
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\umbus.inf_amd64_b78a9c5b6fd62c27\umbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CAD.sys
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_LOADED \SystemRoot\System32\drivers\HECIx64.sys
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_LOADED \SystemRoot\System32\drivers\HDAudBus.sys
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiSDa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiMSa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xkbd.sys
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

BOOTLOG_LOADED \SystemRoot\System32\drivers\i8042prt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\SynTP.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kbdclass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mouclass.sys
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_LOADED \SystemRoot\System32\drivers\cdrom.sys
BOOTLOG_LOADED \??\C:\Windows\system32\drivers\NTIDrvr.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\GEARAspiWDM.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wmiacpi.sys
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_LOADED \SystemRoot\System32\drivers\NdisVirtualBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mssmbios.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\swenum.inf_amd64_16a14542b63c02af\swenum.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdpbus.sys
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED IntcAzAudAddService.SYS
BOOTLOG_NOT_LOADED IntcDAud.SYS
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xndmp.sys
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED @monitor.inf,%pnpmonitor.devicedesc%;Generic PnP Monitor
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @c_swdevice.inf,%swd\genericraw.devicedesc%;Generic software device
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\condrv.sys
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS

BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
12 5 2023 17:24:39.500
BOOTLOG_LOADED \SystemRoot\system32\ntoskrnl.exe
BOOTLOG_LOADED \SystemRoot\system32\hal.dll
BOOTLOG_LOADED \SystemRoot\system32\kd.dll
BOOTLOG_LOADED \SystemRoot\system32\mcupdate_GenuineIntel.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLFS.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\tm.sys
BOOTLOG_LOADED \SystemRoot\system32\PSHED.dll
BOOTLOG_LOADED \SystemRoot\system32\BOOTVID.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\FLTMRG.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\msrpc.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ksecdd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\clips.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\cmimcext.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\werkernl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ntosext.sys
BOOTLOG_LOADED \SystemRoot\system32\CI.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\cng.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Wdf01000.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WDFLDR.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\WppRecorder.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SleepStudyHelper.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\acpiex.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msseccore.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SgrmAgent.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ACPI.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WMILIB.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdBoot.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelpep.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WindowsTrustedRT.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\IntelTA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WindowsTrustedRTProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pcw.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\msisadv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\isapnp.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vdrvroot.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ucx01000.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\pdc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\CEA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\partmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\evbda.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pcmcia.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pciide.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\PCIINDEX.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\spaceport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelide.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\sdbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vbush.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\NDIS.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\NETIO.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\hvsocket.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vbkmcl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\winhv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vpci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bxvbda.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\nvraid.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLASSPNP.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\urscx01000.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mountmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorV.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vsraid.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\storport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\3ware.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\amdsata.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\amdxata.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\amdsbs.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\arcsas.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ItSas35i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\lsi_sas.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\lsi_sas2i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\lsi_sas3i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\lsi_sss.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\megasas.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\MegaSas2i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\megasas35i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\megasr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mvumis.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\nvstor.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\percsas2i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\percsas3i.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\SiSRaid2.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\sisraid4.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vstxraid.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\stexstor.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\cht4sx64.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorAVC.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\atapi.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ataport.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\storaHCI.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\stornvme.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ADP80XX.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\HpSAMD.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\SmartSAMD.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\nvdimms.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EhStorTcgDrv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EhStorClass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fileinfo.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Wof.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Ntfs.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbccgp.sys

```
BOOTLOG_LOADED \SystemRoot\System32\drivers\USB.DSYS  
BOOTLOG_LOADED  
\SystemRoot\System32\DriverStore\FileRepository\urschipidea.inf_amd64_78ad1c14e3  
3df968\urschipidea.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbhub.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\UsbHub3.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbehci.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\USBPORT.SYS  
BOOTLOG_LOADED \SystemRoot\System32\drivers\storvsc.sys  
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Fs_Rec.sys  
BOOTLOG_LOADED \SystemRoot\System32\Drivers\ksecpkg.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpip.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\fwpkclnt.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\wfplwfs.sys  
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\timntr.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\vmstorfl.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\bttflt.sys  
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\fvevol.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\volume.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\volsnap.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\USBXHCI.SYS  
BOOTLOG_LOADED \SystemRoot\System32\drivers\USBSTOR.SYS  
BOOTLOG_LOADED \SystemRoot\System32\drivers\uaspstor.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\storufs.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\sdstor.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\scmbus.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\sbp2port.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdyboost.sys  
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\ramdisk.sys  
BOOTLOG_LOADED \SystemRoot\system32\pwdrvio.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\pmem.sys  
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nvpciflt.sys  
BOOTLOG_LOADED \SystemRoot\System32\Drivers\mup.sys  
BOOTLOG_LOADED \SystemRoot\system32\drivers\iorate.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\hwpolicy.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\EPMVolFlt.sys  
BOOTLOG_LOADED \SystemRoot\System32\drivers\disk.sys  
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network  
Adapter  
BOOTLOG_NOT_LOADED @hal.inf,%acpi_amd64.devicedesc%;ACPI x64-based PC  
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network  
Adapter  
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network  
Adapter  
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network  
Adapter  
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network  
Adapter  
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network  
Adapter
```


[illegible]

Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network

Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network

Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network

Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network

Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network

Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network

Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network

Adapter

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor

BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M

BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet

BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97

Wireless Network Adapter

BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isbnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isbnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isbnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isbnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isbnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isbnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isbnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isbnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter

BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter

BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED cdrom.SYS
BOOTLOG_NOT_LOADED FileCrypt.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Null.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Beep.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicdisplay.inf_amd64_19e58b626
7591a82\BasicDisplay.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicrender.inf_amd64_d3f5994a67
770b50\BasicRender.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\googledrivefs31092.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Npfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Msfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\CimFS.SYS
BOOTLOG_NOT_LOADED tdx.SYS
BOOTLOG_NOT_LOADED NetBT.SYS
BOOTLOG_NOT_LOADED afunix.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED vwififlt.SYS
BOOTLOG_NOT_LOADED Psched.SYS
BOOTLOG_NOT_LOADED NdisCap.SYS
BOOTLOG_NOT_LOADED NetBIOS.SYS
BOOTLOG_NOT_LOADED Vid.SYS
BOOTLOG_NOT_LOADED rdbss.SYS
BOOTLOG_NOT_LOADED CSC.SYS
BOOTLOG_NOT_LOADED nsiproxy.SYS

BOOTLOG_NOT_LOADED npsvc trig.SYS
BOOTLOG_NOT_LOADED mssmbios.SYS
BOOTLOG_NOT_LOADED GpuEnergyDrv.SYS
BOOTLOG_NOT_LOADED Dfsc.SYS
BOOTLOG_NOT_LOADED dam.SYS
BOOTLOG_NOT_LOADED bam.SYS
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\ahcache.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\Vid.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\compositebus.inf_amd64_7500cffa210c6946\CompositeBus.sys
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\umbus.inf_amd64_b78a9c5b6fd62c27\umbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CAD.sys
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_LOADED \SystemRoot\System32\drivers\HECIx64.sys
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_LOADED \SystemRoot\System32\drivers\HDAudBus.sys
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiSDa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiMSa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xdbd.sys
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97 Wireless Network Adapter
BOOTLOG_LOADED \SystemRoot\System32\drivers\i8042prt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\SynTP.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kbdclass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mouclass.sys
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_LOADED \SystemRoot\System32\drivers\cdrom.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\NTIDrvr.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\GEARAspiWDM.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wmiaacpi.sys
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_LOADED \SystemRoot\System32\drivers\NdisVirtualBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mssmbios.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\swenum.inf_amd64_16a14542b63c02af\swenum.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdpbus.sys
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED IntcAzAudAddService.SYS
BOOTLOG_NOT_LOADED IntcDAud.SYS

BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xndmp.sys
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000
BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @oem92.inf,%nvidia_dev.0df4.0512.1025%;NVIDIA GeForce GT 540M
BOOTLOG_NOT_LOADED @oem45.inf,%isnbgm2%;Intel(R) HD Graphics 3000

BOOTLOG_NOT_LOADED @usbvideo.inf,%usbvideo.devicedesc%;USB Video Device
BOOTLOG_NOT_LOADED @netk57a.inf,%f_name0%;Broadcom NetLink (TM) Gigabit Ethernet
BOOTLOG_NOT_LOADED @oem85.inf,%athr.devicedesc.660311ad%;Qualcomm Atheros AR5B97
Wireless Network Adapter
BOOTLOG_NOT_LOADED @cmbatt.inf,%acpi\acpi0003.devicedesc%;Microsoft AC Adapter
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED @cpu.inf,%intelppm.devicedesc%;Intel Processor
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED @monitor.inf,%pnpmmonitor.devicedesc%;Generic PnP Monitor
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED @kdnic.inf,%kdnic.devicedesc%;Microsoft Kernel Debug Network
Adapter
BOOTLOG_NOT_LOADED @c_swdevice.inf,%swd\genericraw.devicedesc%;Generic software
device
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\condrv.sys
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
BOOTLOG_NOT_LOADED AFD.SYS
Microsoft (R) Windows (R) Version 10.0 (Build 19041)
12 12 2023 17:40:54.500
BOOTLOG_LOADED \SystemRoot\system32\ntoskrnl.exe
BOOTLOG_LOADED \SystemRoot\system32\hal.dll
BOOTLOG_LOADED \SystemRoot\system32\kd.dll
BOOTLOG_LOADED \SystemRoot\system32\mcupdate_GenuineIntel.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLFS.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\tm.sys
BOOTLOG_LOADED \SystemRoot\system32\PSHED.dll
BOOTLOG_LOADED \SystemRoot\system32\BOOTVID.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\FLTMRGR.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\msrpc.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ksecdd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\clips.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\cmimcext.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\werkernl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ntosext.sys
BOOTLOG_LOADED \SystemRoot\system32\CI.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\cng.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Wdf01000.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WDFLDR.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\WppRecorder.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SleepStudyHelper.sys

BOOTLOG_LOADED \SystemRoot\System32\Drivers\acpiex.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msseccore.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SgrmAgent.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ACPI.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WMILIB.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdBoot.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelpep.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WindowsTrustedRT.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\IntelTA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WindowsTrustedRTProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pcw.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\msisadv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vdrvroot.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\pdc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\CEA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\partmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\spaceport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mountmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\storport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EhStorClass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fileinfo.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Wof.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Ntfs.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Fs_Rec.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ndis.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\NETIO.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\ksecpkg.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpip.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fwpkclnt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wfplwfs.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\timntr.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\fvevol.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volume.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volsnap.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdyboost.sys
BOOTLOG_LOADED \SystemRoot\system32\pwrdrvio.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\mup.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\iorate.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\hwpolicy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EPMVolFlt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\disk.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLASSPNP.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\cdrom.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\filecrypt.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Null.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Beep.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED

\SystemRoot\System32\DriverStore\FileRepository\basicdisplay.inf_amd64_19e58b6267591a82\BasicDisplay.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicrender.inf_amd64_d3f5994a67770b50\BasicRender.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\googledrivefs31092.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Npfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Msfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\CimFS.SYS
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\tdx.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\netbt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\afunix.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\afd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwififlt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pacer.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ndiscap.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\netbios.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\Vid.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\rdbss.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\csc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\nsiproxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\npsvc trig.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mssmbios.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\gpuenergydrv.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\dfsc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\bam.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\ahcache.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\compositebus.inf_amd64_7500cffa210c6946\CompositeBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kdnic.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\umbus.inf_amd64_b78a9c5b6fd62c27\umbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CAD.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\igdkmd64.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbehci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\HDAudBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\k57nd60a.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiSDa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiMSa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57x dbd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\athrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwifibus.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ucx01000.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\USBXHCI.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\i8042prt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\SynTP.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kbdclass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mouclass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CmBatt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\GEARAspiWDM.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\wmiacpi.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelppm.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\NdisVirtualBus.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\swenum.inf_amd64_16a14542b63c02a
f\swenum.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdpbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbhub.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\RTKVHD64.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ksthunk.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\IntcDAud.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xndmp.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\UsbHub3.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbccgp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WdmCompanionFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\usbvideo.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\monitor.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\wcifs.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\luaflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\cldflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\storqosflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\bindflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mmcss.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\tifsflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\lltdio.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\rspndr.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\wanarp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mslldp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ndisuiio.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nwifi.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msquic.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\HTTP.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\MSKSSRV.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\bowser.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mpsdrv.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\mrxsmb.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\mrxsmb20.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\srvtsp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mqac.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\srvtsp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Ndu.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\peauth.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpipreg.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rassstp.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwifi.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\AgileVpn.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rasl2tp.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\condrv.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\raspptp.sys

BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\raspppoe.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\ndistapi.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ndiswan.sys
BOOTLOG_NOT_LOADED \SystemRoot\system32\drivers\wd\WdFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\MSKSSRV.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\nvacwu.inf_amd64_bdd6ea477d4e2fba\nvlddmkm.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nvpciflt.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\nvacwu.inf_amd64_bdd6ea477d4e2fba\nvlddmkm.sys
À12 12 2023 19:24:23.500
BOOTLOG_LOADED \SystemRoot\system32\ntoskrnl.exe
BOOTLOG_LOADED \SystemRoot\system32\hal.dll
BOOTLOG_LOADED \SystemRoot\system32\kd.dll
BOOTLOG_LOADED \SystemRoot\system32\mcupdate_GenuineIntel.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLFS.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\tm.sys
BOOTLOG_LOADED \SystemRoot\system32\PSHED.dll
BOOTLOG_LOADED \SystemRoot\system32\BOOTVID.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\FLTMRGR.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\msrpc.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ksecdd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\clips.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\cmimcext.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\werkernl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ntosext.sys
BOOTLOG_LOADED \SystemRoot\system32\CI.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\cng.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Wdf01000.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WDFLDR.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\WppRecorder.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SleepStudyHelper.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\acpiex.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msseccore.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SgrmAgent.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ACPI.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WMILIB.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdBoot.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelpep.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WindowsTrustedRT.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\IntelTA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WindowsTrustedRTProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pcw.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\msisadv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vdrvroot.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\pdc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\CEA.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\partmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\spaceport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mountmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\storport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EhStorClass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fileinfo.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Wof.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Ntfs.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Fs_Rec.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ndis.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\NETIO.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\ksecpkg.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpip.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fwpmclnt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wfplwfs.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\timntr.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\fvevol.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volume.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volsnap.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdyboost.sys
BOOTLOG_LOADED \SystemRoot\system32\pwrdrvio.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nvpciflt.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\mup.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\iorate.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\hwpolicy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EPMVolFlt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\disk.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLASSPNP.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\cdrom.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\filecrypt.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Null.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Beep.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicdisplay.inf_amd64_19e58b6267591a82\BasicDisplay.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicrender.inf_amd64_d3f5994a67770b50\BasicRender.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\googledrivefs31092.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Npfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Msfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\CimFS.SYS
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\tdx.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\netbt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\afunix.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\afd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwififlt.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\pacer.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ndiscap.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\netbios.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\Vid.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\rdbss.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\csc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\nsiproxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\npsvc trig.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mssmbios.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\gpuenergydrv.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\dfsc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\bam.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\ahcache.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\compositebus.inf_amd64_7500cffa2
10c6946\CompositeBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kdnic.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\umbus.inf_amd64_b78a9c5b6fd62c27
\umbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CAD.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\nvacwu.inf_amd64_bdd6ea477d4e2fb
a\nvlddmkm.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\igdkmd64.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbehci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\HDAudBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\k57nd60a.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiSDa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiMSa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xdbd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\athrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwifibus.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ucx01000.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\USBXHCI.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\i8042prt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\SynTP.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kbdclass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mouclass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CmBatt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\GEARAspiWDM.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wmiacpi.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelppm.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\NdisVirtualBus.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\swenum.inf_amd64_16a14542b63c02a
f\swenum.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdpbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbhub.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\RTKVHD64.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ksthunk.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\IntcDAud.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xdmp.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\UsbHub3.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbccgp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WdmCompanionFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\usbvideo.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\monitor.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mmcsc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\wcifs.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\MSKSSRV.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\luaflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\cldflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\storqosflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\bindflt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\tifsflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\lltdio.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\rspndr.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\wanarp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mslldp.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nwifi.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ndisuiio.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msquic.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\HTTP.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mpsdrv.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\bowser.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\mrxsmc.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\mrxsmc20.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\srvc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mqac.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Ndu.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\srvc2.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\peauth.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpipreg.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rassstp.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\condrv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\AgileVpn.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rasl2tp.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\raspptp.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\rasppoe.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\ndistapi.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ndiswan.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwifimp.sys
BOOTLOG_NOT_LOADED \SystemRoot\system32\drivers\wd\WdFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\MSKSSRV.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mrxdav.sys
Microsoft (R) Windows (R) Version 10.0 (Build 19041)
12 18 2023 14:36:38.500
BOOTLOG_LOADED \SystemRoot\system32\ntoskrnl.exe

BOOTLOG_LOADED \SystemRoot\system32\hal.dll
BOOTLOG_LOADED \SystemRoot\system32\kd.dll
BOOTLOG_LOADED \SystemRoot\system32\mcupdate_GenuineIntel.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLFS.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\tm.sys
BOOTLOG_LOADED \SystemRoot\system32\PSHED.dll
BOOTLOG_LOADED \SystemRoot\system32\BOOTVID.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\FLTMGR.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\msrpc.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ksecdd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\clipsys.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\cmimcext.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\werkernl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ntosext.sys
BOOTLOG_LOADED \SystemRoot\system32\CI.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\cng.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Wdf01000.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WDFLDR.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\WppRecorder.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SleepStudyHelper.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\acpiex.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msseccore.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SgrmAgent.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ACPI.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WMILIB.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdBoot.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelpep.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WindowsTrustedRT.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\IntelTA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WindowsTrustedRTProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pcw.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\msisadv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vdrvroot.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\pdc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\CEA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\partmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\spaceport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mountmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\storport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EhStorClass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fileinfo.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Wof.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Ntfs.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Fs_Rec.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ndis.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\NETIO.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\ksecpkg.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpip.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fwpmclnt.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\wfplwfs.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\timntr.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\fvevol.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volume.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volsnap.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdyboost.sys
BOOTLOG_LOADED \SystemRoot\system32\pwdrvio.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nvpciflt.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\mup.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\iorate.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\hwpolicy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EPMVolFlt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\disk.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLASSPNP.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\cdrom.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\filecrypt.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Null.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Beep.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicdisplay.inf_amd64_19e58b626
7591a82\BasicDisplay.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicrender.inf_amd64_d3f5994a67
770b50\BasicRender.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\googledrivefs31092.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Npfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Msfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\CimFS.SYS
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\tdx.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\netbt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\afunix.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\afd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwififlt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pacer.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ndiscap.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\netbios.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\Vid.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\rdbss.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\csc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\nsiproxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\npsvc trig.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mssmbios.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\gpuenergydrv.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\dfsc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\bam.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\ahcache.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\compositebus.inf_amd64_7500cffa2
10c6946\CompositeBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kdnic.sys
BOOTLOG_LOADED

\SystemRoot\System32\DriverStore\FileRepository\umbus.inf_amd64_b78a9c5b6fd62c27
\umbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CAD.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\nvacwu.inf_amd64_bdd6ea477d4e2fb
a\nvlddmkm.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\igdkmd64.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbehci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\HDAudBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\k57nd60a.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiSDa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiMSa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xdbd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\athrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwifibus.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ucx01000.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\USBXHCI.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\i8042prt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\SynTP.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kbdclass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mouclass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CmBatt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\GEARAspiWDM.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wmiacpi.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelppm.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\NdisVirtualBus.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\swenum.inf_amd64_16a14542b63c02a
f\swenum.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdpbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbhub.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\RTKVHD64.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ksthunk.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\IntcDAud.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xdmp.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\UsbHub3.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbccgp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WdmCompanionFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\usbvideo.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\monitor.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\wcifs.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\luafv.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\cldflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\storqosflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\bindflt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\tifsflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mmcscs.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\MSKSSRV.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\lltdio.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\rspndr.sys

BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\wanarp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mslldp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ndisuiio.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nwifi.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msquic.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\HTTP.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mpsdrv.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\bowser.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\mrxsmb.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\mrxsmb20.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mqac.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\srvnet.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Ndu.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\peauth.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpipreg.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\srv2.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rassstp.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\AgileVpn.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rasl2tp.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\raspptp.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\rasppoe.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\ndistapi.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ndiswan.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\condrv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwifimp.sys
BOOTLOG_NOT_LOADED \SystemRoot\system32\drivers\wd\WdFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\MSKSSRV.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\CAD.sys
Microsoft (R) Windows (R) Version 10.0 (Build 19041)
12 18 2023 18:57:55.500
BOOTLOG_LOADED \SystemRoot\system32\ntoskrnl.exe
BOOTLOG_LOADED \SystemRoot\system32\hal.dll
BOOTLOG_LOADED \SystemRoot\system32\kd.dll
BOOTLOG_LOADED \SystemRoot\system32\mcupdate_GenuineIntel.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLFS.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\tm.sys
BOOTLOG_LOADED \SystemRoot\system32\PSHED.dll
BOOTLOG_LOADED \SystemRoot\system32\BOOTVID.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\FLTMGR.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\msrpc.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ksecdd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\clips.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\cmimcext.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\werkernl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ntosext.sys
BOOTLOG_LOADED \SystemRoot\system32\CI.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\cng.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Wdf01000.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WDFLDR.SYS

BOOTLOG_LOADED \SystemRoot\system32\drivers\WppRecorder.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SleepStudyHelper.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\acpiex.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msseccore.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SgrmAgent.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ACPI.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WMILIB.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdBoot.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelpep.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WindowsTrustedRT.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\IntelTA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WindowsTrustedRTProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pcw.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\msisadv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vdrvroot.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\pdc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\CEA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\partmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\spaceport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mountmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\storport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EhStorClass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fileinfo.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Wof.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Ntfs.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Fs_Rec.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ndis.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\NETIO.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\ksecpkg.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpip.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fwpmclnt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wfplwfs.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\timntr.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\fvevol.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volume.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volsnap.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdyboost.sys
BOOTLOG_LOADED \SystemRoot\system32\pwdrvio.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nvpciflt.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\mup.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\iorate.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\hwpolicy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EPMVolFlt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\disk.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLASSPNP.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\cdrom.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\filecrypt.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Null.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Beep.SYS

BOOTLOG_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicdisplay.inf_amd64_19e58b6267591a82\BasicDisplay.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicrender.inf_amd64_d3f5994a67770b50\BasicRender.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\googledrivefs31092.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Npfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Msfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\CimFS.SYS
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\tdx.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\netbt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\afunix.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\afd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwififlt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pacer.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ndiscap.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\netbios.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\Vid.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\rdbss.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\csc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\nsiproxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\npsvc trig.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mssmbios.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\gpuenergydrv.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\dfsc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\bam.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\ahcache.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\compositebus.inf_amd64_7500cffa210c6946\CompositeBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kdnic.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\umbus.inf_amd64_b78a9c5b6fd62c27\umbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CAD.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\nvacwu.inf_amd64_bdd6ea477d4e2fba\nvlddmkm.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\igdkmd64.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbehci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\HDAudBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\k57nd60a.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiSDa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiMSa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xdbd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\athrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwifibus.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ucx01000.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\USBXHCI.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\i8042prt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\SynTP.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kbdclass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mouclass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CmBatt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\GEARAspiWDM.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wmiaacpi.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelppm.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\NdisVirtualBus.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\swenum.inf_amd64_16a14542b63c02a
f\swenum.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdpbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbhub.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\RTKVHD64.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ksthunk.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\IntcDAud.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xdmp.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\UsbHub3.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbccgp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WdmCompanionFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\usbvideo.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\monitor.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\wcifs.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mmcsc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\luaflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\cldflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\storqosflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\bindflt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\tifsflt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\MSKSSRV.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mslldp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\rspndr.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\wanarp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\lltdio.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nwifi.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ndisuiio.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msquic.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\HTTP.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\bowser.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mpsdrv.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\mrxsmc.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\mrxsmc20.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\srvc.net.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Ndu.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mqac.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\peauth.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpipreg.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\srvc2.sys
Microsoft (R) Windows (R) Version 10.0 (Build 19041)
12 18 2023 19:07:25.500

BOOTLOG_LOADED \SystemRoot\system32\ntoskrnl.exe
BOOTLOG_LOADED \SystemRoot\system32\hal.dll
BOOTLOG_LOADED \SystemRoot\system32\kd.dll
BOOTLOG_LOADED \SystemRoot\system32\mcupdate_GenuineIntel.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLFS.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\tm.sys
BOOTLOG_LOADED \SystemRoot\system32\PSHED.dll
BOOTLOG_LOADED \SystemRoot\system32\BOOTVID.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\FLTMRG.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\msrpc.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ksecdd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\clips.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\cmimcext.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\werkern.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ntosext.sys
BOOTLOG_LOADED \SystemRoot\system32\CI.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\cng.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Wdf01000.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WDFLDR.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\WppRecorder.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SleepStudyHelper.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\acpiex.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msseccore.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SgrmAgent.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ACPI.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WMILIB.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdBoot.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelpep.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WindowsTrustedRT.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\IntelTA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WindowsTrustedRTProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pcw.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\msisadv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vdrvroot.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\pdc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\CEA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\partmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\spaceport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mountmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\storport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EhStorClass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fileinfo.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Wof.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Ntfs.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Fs_Rec.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ndis.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\NETIO.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\ksecpkg.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpip.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\fwpkclnt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wfplwfs.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\timntr.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\fvevol.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volume.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volsnap.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdyboost.sys
BOOTLOG_LOADED \SystemRoot\system32\pwrdrvio.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nvpciflt.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\mup.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\iorate.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\hwpolicy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EPMVolFlt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\disk.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLASSPNP.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\cdrom.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\filecrypt.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Null.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Beep.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicdisplay.inf_amd64_19e58b626
7591a82\BasicDisplay.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicrender.inf_amd64_d3f5994a67
770b50\BasicRender.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\googledrivefs31092.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Npfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Msfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\CimFS.SYS
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\tdx.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\netbt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\afunix.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\afd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwififlt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pacer.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ndiscap.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\netbios.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\Vid.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\rdbss.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\csc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\nsiproxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\npsvc trig.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mssmbios.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\gpuenergydrv.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\dfsc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\bam.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\ahcache.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\compositebus.inf_amd64_7500cffa2
10c6946\CompositeBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kdnic.sys

BOOTLOG_LOADED
\\SystemRoot\\System32\\DriverStore\\FileRepository\\umbus.inf_amd64_b78a9c5b6fd62c27\\umbus.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\CAD.sys
BOOTLOG_NOT_LOADED \\SystemRoot\\System32\\drivers\\dxgkrnl.sys
BOOTLOG_LOADED
\\SystemRoot\\System32\\DriverStore\\FileRepository\\nvacwu.inf_amd64_bdd6ea477d4e2fba\\nvlddmkm.sys
BOOTLOG_NOT_LOADED \\SystemRoot\\System32\\drivers\\dxgkrnl.sys
BOOTLOG_LOADED \\SystemRoot\\system32\\DRIVERS\\igdkmd64.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\usbehci.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\HDAudBus.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\k57nd60a.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\bScsiSDa.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\bScsiMSa.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\b57xdbd.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\athrx.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\vwifibus.sys
BOOTLOG_LOADED \\SystemRoot\\system32\\drivers\\ucx01000.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\USBXHCI.SYS
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\i8042prt.sys
BOOTLOG_LOADED \\SystemRoot\\system32\\DRIVERS\\SynTP.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\kbdclass.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\mouclass.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\CmBatt.sys
BOOTLOG_LOADED \\SystemRoot\\system32\\DRIVERS\\GEARAspiWDM.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\wmiacpi.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\intelppm.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\NdisVirtualBus.sys
BOOTLOG_LOADED
\\SystemRoot\\System32\\DriverStore\\FileRepository\\swenum.inf_amd64_16a14542b63c02af\\swenum.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\rdpbus.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\usbhub.sys
BOOTLOG_LOADED \\SystemRoot\\system32\\drivers\\RTKVHD64.sys
BOOTLOG_LOADED \\SystemRoot\\system32\\drivers\\ksthunk.sys
BOOTLOG_LOADED \\SystemRoot\\system32\\DRIVERS\\IntcDAud.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\b57xdmp.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\UsbHub3.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\usbccgp.sys
BOOTLOG_LOADED \\SystemRoot\\system32\\drivers\\WdmCompanionFilter.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\Drivers\\usbvideo.sys
BOOTLOG_NOT_LOADED \\SystemRoot\\System32\\drivers\\dxgkrnl.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\monitor.sys
BOOTLOG_NOT_LOADED \\SystemRoot\\System32\\drivers\\dxgkrnl.sys
BOOTLOG_LOADED \\SystemRoot\\system32\\drivers\\wcifs.sys
BOOTLOG_LOADED \\SystemRoot\\system32\\drivers\\mmcsm.sys
BOOTLOG_LOADED \\SystemRoot\\system32\\drivers\\luaflt.sys
BOOTLOG_LOADED \\SystemRoot\\system32\\drivers\\cldflt.sys
BOOTLOG_LOADED \\SystemRoot\\System32\\drivers\\MSKSSRV.sys
BOOTLOG_LOADED \\SystemRoot\\system32\\drivers\\storqosflt.sys
BOOTLOG_LOADED \\SystemRoot\\system32\\drivers\\bindflt.sys
BOOTLOG_LOADED \\SystemRoot\\system32\\DRIVERS\\tifsflt.sys
BOOTLOG_LOADED \\SystemRoot\\system32\\drivers\\msl1dp.sys

BOOTLOG_LOADED \SystemRoot\system32\drivers\rspndr.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\wanarp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\lltdio.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nwifi.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ndisuio.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msquic.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\HTTP.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\bowser.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\mrxsmbs.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mpsdrv.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\mrxsmbs20.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\srvtcp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mqac.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Ndu.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\peauth.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpipreg.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\srvsrv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rassstp.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\AgileVpn.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rasl2tp.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\raspppoe.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\raspppoe.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\condrv.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\ndistapi.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ndiswan.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwifimp.sys
BOOTLOG_NOT_LOADED \SystemRoot\system32\drivers\wd\WdFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\MSKSSRV.sys
Microsoft (R) Windows (R) Version 10.0 (Build 19041)
12 18 2023 19:26:03.500
BOOTLOG_LOADED \SystemRoot\system32\ntoskrnl.exe
BOOTLOG_LOADED \SystemRoot\system32\hal.dll
BOOTLOG_LOADED \SystemRoot\system32\kd.dll
BOOTLOG_LOADED \SystemRoot\system32\mcupdate_GenuineIntel.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLFS.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\tm.sys
BOOTLOG_LOADED \SystemRoot\system32\PSHED.dll
BOOTLOG_LOADED \SystemRoot\system32\BOOTVID.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\FLTMGR.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\msrpc.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ksecdd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\clipsrv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\cmimcext.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\werkernl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ntosext.sys
BOOTLOG_LOADED \SystemRoot\system32\CI.dll
BOOTLOG_LOADED \SystemRoot\System32\drivers\cng.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Wdf01000.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WDFLDR.SYS

BOOTLOG_LOADED \SystemRoot\system32\drivers\WppRecorder.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SleepStudyHelper.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\acpiex.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msseccore.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\SgrmAgent.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ACPI.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WMILIB.SYS
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdBoot.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelpep.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WindowsTrustedRT.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\IntelTA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\WindowsTrustedRTProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pcw.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\msisadv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vdrvroot.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\pdc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\CEA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\partmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\spaceport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volmgrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mountmgr.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\iaStorA.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\storport.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EhStorClass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fileinfo.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Wof.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\wd\WdFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Ntfs.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Fs_Rec.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ndis.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\NETIO.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\ksecpkg.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpip.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\fwpkclnt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wfplwfs.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\timntr.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\fvevol.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volume.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\volsnap.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdyboost.sys
BOOTLOG_LOADED \SystemRoot\system32\pwdrvio.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nvpciflt.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\mup.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\iorate.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\hwpolicy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\EPMVolFlt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\disk.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CLASSPNP.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\cdrom.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\filecrypt.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Null.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Beep.SYS

BOOTLOG_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicdisplay.inf_amd64_19e58b6267591a82\BasicDisplay.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\basicrender.inf_amd64_d3f5994a67770b50\BasicRender.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\googledrivefs31092.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Npfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\Msfs.SYS
BOOTLOG_LOADED \SystemRoot\System32\Drivers\CimFS.SYS
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\tdx.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\netbt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\afunix.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\afd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwififlt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\pacer.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ndiscap.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\netbios.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\Vid.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\rdbss.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\csc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\nsiproxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\npsvc trig.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mssmbios.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\gpuenergydrv.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\dfsc.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\bam.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\ahcache.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\compositebus.inf_amd64_7500cffa210c6946\CompositeBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kdnic.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\umbus.inf_amd64_b78a9c5b6fd62c27\umbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CAD.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\nvacwu.inf_amd64_bdd6ea477d4e2fba\nvlddmkm.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\igdkmd64.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbehci.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\HDAudBus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\k57nd60a.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiSDa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\bScsiMSa.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xdbd.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\athrx.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwifibus.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ucx01000.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\USBXHCI.SYS
BOOTLOG_LOADED \SystemRoot\System32\drivers\i8042prt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\SynTP.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\kbdclass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mouclass.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\CmBatt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\GEARAspiWDM.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\wmiaacpi.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\intelppm.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\NdisVirtualBus.sys
BOOTLOG_LOADED
\SystemRoot\System32\DriverStore\FileRepository\swenum.inf_amd64_16a14542b63c02a
f\swenum.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rdpbus.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbhub.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\RTKVHD64.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ksthunk.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\IntcDAud.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\b57xndmp.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\UsbHub3.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\usbccgp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\WdmCompanionFilter.sys
BOOTLOG_LOADED \SystemRoot\System32\Drivers\usbvideo.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\monitor.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\drivers\dxgkrnl.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\wcifs.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\luaflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\cldflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\storqosflt.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mmcss.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\bindflt.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\tifsflt.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\MSKSSRV.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mslldp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\rspndr.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\wanarp.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\lltdio.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\ndisuiio.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\nwifi.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\msquic.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\HTTP.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\mpsdrv.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\bowser.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\mrxsmbs.sys
BOOTLOG_LOADED \SystemRoot\system32\DRIVERS\mrxsmbs20.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\srvice.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\mqac.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\Ndu.sys
BOOTLOG_LOADED \SystemRoot\system32\drivers\peauth.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\tcpipreg.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\srvc2.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rassstp.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys

BOOTLOG_LOADED \SystemRoot\System32\drivers\AgileVpn.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\rasl2tp.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\raspptp.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\rasppoe.sys
BOOTLOG_NOT_LOADED \SystemRoot\System32\DRIVERS\NDProxy.sys
BOOTLOG_LOADED \SystemRoot\System32\DRIVERS\ndistapi.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\condrv.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\ndiswan.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\vwifimp.sys
BOOTLOG_LOADED \SystemRoot\System32\drivers\MSKSSRV.sys
BOOTLOG_NOT_LOADED \SystemRoot\system32\drivers\wd\WdFilter.sys